



# C40

## Dash Camera For Commercial Vehicle



**User Manual**

*Dear customer*



## Product manual details

Thank you very much for using our products. It is our honor to serve you.  
Please read this manual carefully to ensure the correct use of our products.  
Due to different production dates and batches of products, the user manual may differ from the actual product used. Please refer to the actual product.

Thank you again for your patronage and support!

### Disclaimer

1. This product reserves the right to change design and specifications without notice.
2. This product is a driving aid and cannot be used as a basis for determining liability for traffic accidents, the violation of fines or traffic accidents in the driving process, and Steelmate does not assume any responsibility.
3. This product does not exclude the possibility of recording interruption during use. We will not be held responsible if no video or image data is recorded.

### Product Overview





## Product manual details

### 1 Power button

Function 1: Power on/off

Press the button for 2 seconds to power on/off.

Function 2: Screen on/off

Press the button once to turn on/off the screen.

---

### 2 Mode button

In video mode, stop the recording first, and press the button to enter the setup menu, then press Up or Down button to select the function that needs to be set.

---

### 3 Up button

Function 1: Windows switching

In video mode, press Up button can cycle switch front, rear, left, and right view recording full screen; double split screen; four split screen.

Function 2: Page up function

In setup menu/playback mode, press the button to select upwards.

Function 3: Playback file switching function

In playback mode, hold and press the button to switch between folders, video folders and the video playback interface.

---

### 4 Down button

Function 1: Recording audio on/off

In video mode, press the button to turn on/off the recording audio.

Function 2: Page down function

In the menu settings and playback mode, short press the button to select downwards.

Function 3: Playback file switching function

In playback mode, hold and press the button to switch between folders, video folders and the video playback interface.

---

### 5 OK button

Function 1: Start/stop recording

In video mode, press the button to start/stop the recording.

Function 2: Confirmation function


In setup menu/playback mode, press Up or Down button to browse, and Press OK button to confirm the selection.

Function 3: File playback


In playback mode, press Up or Down button to switch the video folders of front, rear, left, and right view, and press OK button to enter the video folders, then press Up or Down button to select the file you need, finally, press OK button to play the selected video.



## Product manual details



### 2 Setup menu interface



### 3 View file: video playback for front, rear, left and right view






## Product manual details




### 4 CDR setting



Loop record: 5 minutes, 10 minutes  
Record mute: OFF, ON  
Record watermark: OFF, ON  
Interval record: OFF, 1 hour, 12 hours, 24 hours  
License: OFF, ON  
Front cam mirror: OFF, ON  
Rear cam mirror: OFF, ON  
Left cam mirror: OFF, ON  
Right cam mirror: OFF, ON

5 System setting



Volume setting: Level 1, Level 2, Level 3, Level 4

Screen sleep: OFF, 10S, 30S, 60S

Time/Language: ①Language setting: Simplified Chinese and English; ②Time setting: Set the system time.

Display: ①Brightness; ②Contrast; ③Saturation; ④Backlight

(The parameters can be adjusted in the interval of 0-100, and each adjustment is -5/+5)

Reset factory: YES, NO. Select "YES", the system will restore the factory default.

Keytone: OFF, ON

6 Voice control

OFF, ON for optional. The command including: • Turn on screen • Turn off screen • Turn on audio • Turn off audio • Show front camera • Show rear camera • Show left camera • Show right camera • Show all cameras

Product Overview

7 Smart drive





## Product manual details



### Blind Spot Detection System(BSD)


BSD is a real-time monitoring system that monitors the blind spots of vehicles on the left and right sides of the road and indicates the risk of traffic accidents when merging. The system is designed to reduce the risk of traffic accidents. It is now also known as lane change assist (LCA).

The following is intended to guide the calibration of the smart driving application of the dash camera. Before using the BSD function, it is essential to calibrate the camera's installation position and viewing angle so that vehicles and lanes can be accurately detected.


#### Notes:

- BSD relies on the rear camera to obtain road conditions and vehicle driving information in blind spots.
- The BSD system is affected by light, lane lines, rain and fog, affecting its accuracy.

#### 7.1 BSD calibration



## Product manual details




BSD Calibrate: Left camera, Right camera, Rear camera for optional.

Press the Up or Down button to select the direction to be adjusted, and the box icon in the center is the switch of the adjustment point, then press the OK button to adjust the alarm area.

Tips: The adjustment range of the calibration line is limited, if it is still not satisfied when the adjustment reaches the limit, please adjust the installation position of the camera or fine-tune the lens angle to align the rear side.

### 7.2 BSD setting







## Product manual details

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General



## Product manual details

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General

Think of safety, think of Iron General